

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4).

Dated: June 8, 2010

Electronic Signature for Kari Lynn Barnes: /Kari Lynn Barnes/

Docket No.: 101671.0006P
(PATENT)
EFS-WEB

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Thiemo Blank

Application No.: 10/507,347

Allowed: May 3, 2010

Filed: January 11, 2006

Art Unit: 3731

For: METAL STRUCTURE COMPATIBLE WITH
MRI IMAGING, AND METHOD OF
MANUFACTURING SUCH A STRUCTURE

Examiner: S. A. Simpson

SUBMISSION OF SUBSTITUTE DRAWINGS

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Submitted herewith is one set (five sheets, eight figures) of substitute drawings for filing in the above-identified Patent application.

The drawing changes incorporated in the substitute drawings were requested by the Examiner in the Interview held April 21, 2010, as indicated in the Notice of Allowability and Interview Summary dated May 3, 2010. The substitute drawings also correct a reference numbering error found in FIG. 3, in which reference number 14A was corrected to 14B, consistent with the originally filed specification at, for example, page 16, and reference number 14B was corrected to 16B consistent with the other reference numbers found in the drawing and the specification at, for example, page 16.

Please cancel the drawings previously filed in this application.

Applicant believes no fee is due with this response. However, if a fee is due, please charge our Deposit Account No. 50-2191, under Order No. 101671.0006P from which the undersigned is authorized to draw.

Dated: June 8, 2010

Respectfully submitted,

Electronic signature: /Todd W. Wight/
Todd W. Wight

Registration No.: 45,218
RUTAN & TUCKER LLP
611 Anton Boulevard, Suite 1400
Costa Mesa, California 92626
(714) 641-5100
Patents@Rutan.com